

IPG-53H13PE-WP

Features:

- Supports Wi-Fi, a key WPS function;
- Support Micro SD card, up to 32G;
- Support 3D DNR, DWDR;
- Support ONVIF; Support Third-party NVR;
- Support for mobile video surveillance (iOS, android);
- Support Web, CMS, platform management software MYEYE, Provide SDK ;
- Support cloud service, network penetration, alarm information pushed to phone ,etc.



Parameters:

Model	IPG-53H13PE-WP
System structure	Embedded RTOS, dual-core 32bit DSP( Hi3518E), pure hard compression , watch dog
Sensor	1.3M 1/2.8" low illumination cmos sensor; color 0.01Lux@F1.2, black/white 0.001Lux@F1.2
Video compression	H.264, support dual stream, AVI; 0.1M-6Mbps variable; 1-25f/s variable
Image output	Main stream: 1280*960 (18fps) ; 1280*720; sub-stream: 704*576;
Network connection	Supports Wi-Fi, a key WPS function;
Hardware features	Support a key reset function
Micro SD Card	Support
Singal interface	One photo resistance interface, one IR-CUT interface , support photo resistance signal and IR-CUT links to IR
Lightning Protection	Power lightning protection, in line with national standards GB/T17626.5, the international standard IEC61000-4-5.
Other function	Support WEB configure, support for OSD, support real-time video transmission, support mobile surveillance, support for mobile detection alarm center after the screen pop-up reminders and linkage; supports JPEG capture; support unified client remote monitoring software, MYEYE platform system applications; provide perfect the SDK development package;
ONVIF	Support
Mobile monitoring	Support multiple mobile monitoring (iOS, Android)
Power	DC5V
dimension	38mm*38mm
Other	Need to cooperate with the mobile client to use, support WPS technology a key connection to watch video, say goodbye to the traditional "wired" the limitations and inconvenience, enjoy the new technology "wireless" space and convenience